

COMPANY PROFILE

公司简介

深圳市宏观盛科技有限公司

SHENZHEN HONGGUANSHENG SCIENCE AND TECHNOLOGY LTD.

深圳市宏观盛科技有限公司成立于2010年，公司坐落于深圳龙岗，注册资金500万元，是国内一家集研发、生产、加工销售为一体的综合型电线电缆生产企业。

产品广泛用于电子电器、照明灯具、电子设备、机械电气、电热制品及汽车工业。

SHENZHEN HONGGUANSHENG SCIENCE AND TECHNOLOGY LTD. WAS FOUNDED IN 2010 AND LOCATED IN SHENZHEN, WITH A REGISTERED CAPITAL OF 5 MILLION YUAN. WE ARE A COMPREHENSIVE STRENGTH COMPANY THAT INTEGRATES TECHNOLOGICAL R&D, MANUFACTURING, PROCESSING AND SALES. OUR PRODUCTS ARE WIDELY USED IN ELECTRONIC APPLIANCES, LIGHTING LAMPS, ELECTRONIC EQUIPMENT, MECHANICAL AND ELECTRICAL, ELECTRIC HEATING PRODUCTS AND AUTOMOTIVE INDUSTRY.

公司主营产品为:1007、1015、1571、1061、1672、2651、2725、20276、2835、1617、1095、1569、2517、2468、2464、1533、1185、2547等PVC电子线，RVB红黑线、RVVB电源线、RV、BVR、BVV电线、RVV电缆线、RVVP屏蔽线、耐油耐温电线电缆、对绞电缆、硅胶线 铁氟龙 编织高温线云母高温线等系列产品。

1007,1015,1571,1061,1672,2651,2725,20276,2835,1617,1569,2517,2468,2464,1533,1185,2547ETC. PVC ELECTRONIC WIRE, RVB RED AND BLACK WIRE, RVVB POWER CORD, RV,BVR,BVV WIRE, RVV CABLE, RVVP SHIELDED WIRE, OIL AND TEMPERATURE RESISTANT WIRE AND CABLE, PAIR OF TWISTED CABLE, SILICONE WIRE, TEFLON, WOVEN HIGH TEMPERATURE WIRE MICA HIGH TEMPERATURE WIRE AND OTHER PRODUCTS.

创新科技 专业专注

INNOVATION, PROFESSIONAL & FOCUS

产品严格按照ISO9001质量管理体系标准生产，每道环节有专门的质检人员把关，拥有多台质检设备。产品选用NP级原料，不含邻苯二甲酸，环保无毒，环保级别更是在ROHS之上，我们拥有多项产品专利，汇聚众多高素质管理人员和专业技术人员，致力于为消费者打造安全放心的品质线缆。

PRODUCTS IN STRICT ACCORDANCE WITH THE ISO9001 QUALITY MANAGEMENT SYSTEM STANDARD PRODUCTION. EACH LINK HAS A SPECIAL QUALITY INSPECTION PERSONNEL CHECK, WITH A NUMBER OF QUALITY INSPECTION EQUIPMENT. NP GRADE RAW MATERIALS ARE SELECTED FOR THE PRODUCT, PHTHALATE FREE, ENVIRONMENTAL AND NON-TOXIC, ENVIRONMENTAL PROTECTION LEVEL IS ABOVE ROHS. WE HAVE A NUMBER OF PRODUCT PATENTS, BRING TOGETHER A LARGE NUMBER OF HIGH-QUALITY MANAGEMENT TEAMS AND PROFESSIONAL TECHNICAL PERSONNEL, COMMITTED TO CREATING SAFE AND RELIABLE QUALITY CABLES FOR CONSUMERS.

公司资质 / CERTIFICATE

UL认证

CE认证

ISO9001

公示证书

公示：深圳市宏观盛科技有限公司

2020 年度
广东省守合同重信用企业

监督机关：深圳市市场监督管理局
2021年06月01日



专利证书/PATENT

商标注册证

第 18793825 号

宏观盛

核定使用商品/服务项目（国际分类：9）
第9类：天线；电路材料（电线、电缆）；同轴电缆；电话线；电缆连接器；纤维光缆；电线识别板；电线；电缆；插头、插座和其他接触器（电线接）（截止）

注册人 深圳市宏观盛电线电缆有限公司

注册人地址 广东省深圳市龙岗区龙岗街道同乐社区浪背路28号C栋2楼

注册日期 2017年02月14日 有效期至 2027年02月13日

局长 刘俊臣 发证机关

营业执照 (副本)

统一社会信用代码 91440300561527363U

名称 深圳市宏观盛科技有限公司

类型 有限责任公司

住所 深圳市龙岗区宝龙街道同乐社区浪背路28号C栋2、3楼

法定代表人 庄少波

成立日期 2010年09月15日

登记机关 2018年10月25日



产品参数 PARAMETER

产品名称： Product Parameter	2464电源线
额定电压： Rated Voltage	300V
额定耐温： Temperature resistance	80℃
导体材质： Conduct Material	环保镀锡铜丝 Tinned copper wires
绝缘材质： Insulation Material	PVC
产品认证： Product Certification	/
环保标准： Environmental Standards	RoHS、NP



UL2464系列聚氯乙烯多芯电线
UL2464 SERIES PVC MULTI-CORE WIREIRE

产品规格 PRODUCT SPECIFICATION	外径/OD OUTSIDE DIAMETER	导体结构 CONDUCTOR STRUCTURE	芯线颜色 COLOR OF CORE WIRE	包装米数 METERS/PACKAGING
18AWG (ID:1.8mm)	2C / 5.2mm	34/0.178TS	红/黑(RED/BLACK)	200M
	3C / 5.5mm		红/黑/黄(RED/BLACK/YELLOW)	200M
	4C / 6.0mm		红/黑/黄/白(RED/BLACK YELLOW/WHITE)	200M
20AWG (ID:1.5mm)	2C / 3.8mm	21/0.178TS	红/黑(RED/BLACK)	300M
	2C / 4.6mm		红/黑(RED/BLACK)	300M
	3C / 4.8mm		红/黑/黄(RED/BLACK/YELLOW)	200M
	4C / 5.2mm		红/黑/黄/白(RED/BLACK YELLOW/WHITE)	200M
	5C / 6.5mm		红/黑/黄/白/绿(RED/BLACK YELLOW/WHITE/GREEN)	200M

UL2464系列聚氯乙烯多芯电线
UL2464 SERIES PVC MULTI-CORE WIREIRE

产品规格 PRODUCT SPECIFICATION	外径/OD OUTSIDE DIAMETER	导体结构 CONDUCTOR STRUCTURE	芯线颜色 COLOR OF CORE WIRE	包装米数 METERS/PACKAGING
22AWG (ID:1.3mm)	2C / 3.5mm	17/0.16TS	红/黑(RED/BLACK)	300M
	3C / 4.4mm		红/黑/黄(RED/BLACK/YELLOW)	200M
	4C / 4.7mm		红/黑/黄/白(RED/BLACK YELLOW/WHITE)	200M
	5C / 5.5mm		红/黑/黄/白/绿(RED/BLACK YELLOW/WHITE/GREEN)	200M
	6C / 5.8mm		红/黑/黄/白/绿/蓝(RED/BLACK YELLOW/WHITE/GREEN/BLUE)	200M
24AWG (ID:1.2mm)	2C / 3.5mm	11/0.16TS	红/黑(RED/BLACK)	300M
	3C / 4.2mm		红/黑/黄(RED/BLACK/YELLOW)	200M
	4C / 4.5mm		红/黑/黄/白(RED/BLACK YELLOW/WHITE)	200M
	5C / 5.2mm		红/黑/黄/白/绿(RED/BLACK YELLOW/WHITE/GREEN)	200M
	6C / 5.6mm		红/黑/黄/白/绿/蓝(RED/BLACK YELLOW/WHITE/GREEN/BLUE)	200M
26AWG (ID:1.0mm)	2C / 3.6mm	7/0.16TS	红/黑(RED/BLACK)	300M
	3C / 3.8mm		红/黑/黄(RED/BLACK/YELLOW)	300M
	4C / 4.0mm		红/黑/黄/白(RED/BLACK YELLOW/WHITE)	200M
	5C / 4.7mm		红/黑/黄/白/绿(RED/BLACK YELLOW/WHITE/GREEN)	200M
28AWG (ID:0.9mm)	6C / 5.0mm	7/0.127TS	红/黑/黄/白/绿/蓝(RED/BLACK YELLOW/WHITE/GREEN/BLUE)	200M
	2C / 3.4mm		红/黑(RED/BLACK)	300M
	3C / 3.5mm		红/黑/黄(RED/BLACK/YELLOW)	300M
	4C / 3.8mm		红/黑/黄/白(RED/BLACK YELLOW/WHITE)	300M
	5C / 4.4mm		红/黑/黄/白/绿(RED/BLACK YELLOW/WHITE/GREEN)	200M
	6C / 4.7mm		红/黑/黄/白/绿/蓝(RED/BLACK YELLOW/WHITE/GREEN/BLUE)	200M

产品参数 PARAMETER

产品名称:	2464电源线
Product Name	2464 power cord
额定电压:	300V
Rated Voltage	
额定耐温:	80℃
Temperature resistance	
导体材质:	环保镀锡铜丝
Conduct Material	Tinned copper wires
绝缘材质:	PVC
Insulation Material	
产品认证:	/
Product Certification	
环保标准:	RoHS、NP
Environmental Standards	



芯线颜色 COLOR

2C	3C	4C	5C	6C	7C	8C	9C	10C
红/黑	红/黑/黄	红/黑/黄/绿	红/黑/黄/白/绿	红/黑/黄/白/绿/蓝	红/黑/蓝/黄白绿/棕	红/黑/黄/白/绿/蓝/橙/棕	红/黑/黄/白/绿/蓝/橙/棕/灰	红/黑/黄/白/绿/蓝/橙/棕/灰/紫
Red/Black	Red/Black/Yellow	Red/Black Yellow/Green	Red/Black Yellow/White Green	Red/Black Yellow/White Green/Blue	Red/Black/Blue/ Yellow/White Green/Brown	Red/Black Yellow/White Green/Blue Orange/Brown	Red/Black Yellow/White Green/Blue Orange/Brown/ Grey	Red/Black Yellow/White Green/Blue Orange/Brown/ Grey/Purple

产品颜色 PRODUCT COLOR



黑色 / Black



白色 / White

2464系列聚氯乙烯多芯电线

2464 SERIES PVC MULTI-CORE WIREIRE

产品规格 PRODUCT SPECIFICATION	外径/OD OUTSIDE DIAMETER	导体结构 CONDUCTOR STRUCTURE	包装米数 METERS/PACKAGING
16AWG (ID:2.2mm)	2C / 6.2mm	26/0.24TS	200M
	3C / 6.7mm		100M
	4C / 7.4mm		100M
	5C / 8.0mm		100M
18AWG (ID:1.8mm)	2C / 4.5mm	34/0.16TS	200M
	3C / 5.7mm		200M
	4C / 6.2mm		200M
	5C / 6.7mm		200M
	6C / 7.4mm		200M
	7C / 7.8mm		200M
	8C / 8.2mm		200M
	9C / 8.6mm		200M
20AWG (ID:1.5mm)	10C / 8.9mm		200M
	2C / 3.8mm	21/0.16TS	300M
	3C / 4.5mm		200M
	4C / 5.5mm		200M
	5C / 5.9mm		200M
	6C / 6.4mm		200M
	7C / 6.6mm		200M
	8C / 6.9mm		200M
	9C / 7.2mm		200M
	10C / 7.5mm		200M

2464系列聚氯乙烯多芯电线

2464 SERIES PVC MULTI-CORE WIREIRE

产品规格 PRODUCT SPECIFICATION	外径/OD OUTSIDE DIAMETER	导体结构 CONDUCTOR STRUCTURE	包装米数 METERS/PACKAGING
18AWG (ID:1.8mm)	2C / 5.0mm	34/0.16TS	200M
	2C / 5.5mm		200M
	2C / 6.0mm		200M
20AWG (ID:1.5mm)	2C / 4.5mm	21/0.16TS	300M
	4C / 6.0mm		200M
22AWG (ID:1.3mm)	2C / 4.0mm	17/0.14TS	300M
	2C / 4.5mm		300M
22AWG (ID:1.3mm)	2C / 3.5mm	17/0.14TS	300M
	3C / 4.7mm		200M
	4C / 5.1mm		200M
	5C / 5.5mm		200M
	6C / 5.8mm		200M
	7C / 6.0mm		200M
	8C / 6.3mm		200M
	9C / 6.7mm		200M
24AWG (ID:1.2mm)	10C / 6.8mm		200M
	2C / 3.5mm	11/0.14TS	300M
	3C / 4.2mm		200M
	4C / 4.5mm		200M
	5C / 4.9mm		200M
	6C / 5.2mm		200M

2464系列聚氯乙烯多芯电线

2464 SERIES PVC MULTI-CORE WIREIRE

产品规格 PRODUCT SPECIFICATION	外径/OD OUTSIDE DIAMETER	导体结构 CONDUCTOR STRUCTURE	包装米数 METERS/PACKAGING
24AWG (ID:1.2mm)	7C / 5.2mm	11/0.14TS	200M
	8C / 5.5mm		200M
	9C / 5.8mm		200M
	10C / 6.2mm		200M
26AWG (ID:1.0mm)	2C / 3.0mm	7/0.14TS	300M
	3C / 3.2mm		300M
	4C / 3.5mm		300M
	5C / 4.2mm		200M
	6C / 4.5mm		200M
	7C / 4.8mm		200M
	8C / 5.1mm		200M
	9C / 5.4mm		200M
28AWG (ID:0.9mm)	10C / 5.7mm		200M
	2C / 3.0mm	7/0.12TS	300M
	3C / 3.5mm		200M
	4C / 3.7mm		200M
	5C / 3.9mm		200M
	6C / 4.2mm		200M
	7C / 4.5mm		200M
	8C / 4.8mm		200M
	9C / 5.1mm		200M
	10C / 5.2mm		200M